

AMNIO-MAXX[®]

Amnion Patches

Amnio-Maxx[®] Dual Layer Amnion Allograft



- **Dual-Layer**
Two layers of amniotic tissue provides 2x the growth factors
- **Easy to Use**
Thicker graft facilitates handling in robotic and laparoscopic surgical procedures
- **Surgical Barrier**
Designed for scar tissue and inflammation reduction potential¹
- **Easy Placement**
Dual layer allows placement of the graft on either side, eliminating orientation restrictions in surgical repair
- **Chorion Free**
Immune privileged, reducing the risk of adverse responses
- **Biomechanical Integrity**
Offers greater tensile strength, shape manipulation and slower resorption in vivo²



Amnio-MAXX[®]
AMNION PATCHES

Effective 26Jun2024 MM-0003 Rev 2

POTENTIAL BENEFITS OF AMNIOTIC MEMBRANE GROWTH FACTORS:^{3*}

- ✓ Non-Immunogenic
- ✓ Tissue regeneration/remodeling
- ✓ Anti-inflammatory
- ✓ Anti-adhesive/anti-scarring
- ✓ Creates an environment which promotes anti-bacterial healing

The placenta contains growth factors and proteins that stimulate the body's own healing mechanism, reducing pain, inflammation, and scar tissue⁴

- Platelet Derived Growth Factor (PDGF) A & B
- Vascular Endothelial Growth Factor (VEGF)
- Transforming Growth Factor beta (TGFβ)
- Fibroblast Growth Factor (FGF)
- Epidermal Growth Factor (EGF)
- Tissue Inhibitors of Metalloproteinases (TIMPs)
- Collagen Types I, III, IV, V, VII
- Laminin
- Fibronectin
- Proteoglycans
- Hyaluronic Acid (HA)

Ordering Information

Product Description	Size	Product Code
Q4239 Amnio-Maxx® Dual Layer Amnion Allograft	2 x 2 cm	AMN-22
	2 x 3 cm	AMN-23
	2 x 4 cm	AMN-24
	4 x 4 cm	AMN-44
	4 x 6 cm	AMN-46
	4 x 8 cm	AMN-48

Tissue Recovery & Processing

Amniotic Membranes are donated by healthy, pre-screened, consenting women in the US, and processed in accordance with

TISSUE COLLECTION

Placental tissue is donated from live births in the U.S. without harming the mother or baby

DONOR SCREENING

A thorough medical and social history is obtained for each donor to ensure eligibility requirements are met

INFECTIOUS DISEASE TESTING

- HBsAg • HCV NAT • HIV 1/2Ab • RPR/STS
- HBcAb • HBV NAT • WNV NAT
- HCVAb • HIV NAT • HTLV I/II Ab

TISSUE PROCESSING

All tissue undergoes a proprietary cleansing process to remove blood contaminants and reduce bioburden

TISSUE STERILIZATION

Tissue is sterilized for an additional level of safety, achieving a sterility assurance level (SAL) of 10⁻⁶



401 Hackensack Avenue Suite 604 | Hackensack, NJ 07601

Tel: 201.488.1549 | support@royalbiologics.com
www.royalbiologics.com

1. Sinno, Prakash. Plast Surg Int. 2013;146764.

2. Spoerl, et al. Ophthalmic Res. 2004;36(2):71-7

3. Martin, et al. Encyclopedia of Reproduction, 2018;3:387-398.

4. Mamede, et al. Cell Tissue Res. 2012, 349:447-458.

*Based on published studies; not specific to PalinGen Amniotic Membranes